

María Marco Pertusa

***FRONTAL ASSESSMENT BATTERY: RELIABILITY,
VALIDITY AND DISCRIMINATIVE ABILITY IN
ALZHEIMER'S DISEASE SPECTRUM***

TRABAJO FIN DE MÁSTER

Dirigido por Margarita Torrente Torné

MÁSTER EN PSICOLOGÍA GENERAL SANITARIA

Departamento de Psicología



UNIVERSITAT ROVIRA I VIRGILI

Tarragona, 2024

This study contains confidential information, therefore cannot be shared
in its entirety.

References

- Abrahámová, M., Smolejová, E., Dančík, D., Pribišová, K., Heretik, A., & Hajdúk, M. (2022). Normative data for the Slovak version of the Frontal Assessment Battery (FAB). *Applied Neuropsychology: Adult*, 29(2), 273–278. <https://doi.org/10.1080/23279095.2020.1748031>
- Aiello, E. N., Esposito, A., Gramegna, C., Gazzaniga, V., Zago, S., Difonzo, T., Appollonio, I. M., & Bolognini, N. (2022). The Frontal Assessment Battery (FAB) and its sub-scales: validation and updated normative data in an Italian population sample. *Neurological sciences: official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology*, 43(2), 979–984. <https://doi.org/10.1007/s10072-021-05392-y>
- Aiello, E. N., Solca, F., Torre, S., Carelli, L., Ferrucci, R., Priori, A., Verde, F., Ticozzi, N., Silani, V., & Poletti, B. (2023). Feasibility and diagnostics of the Frontal Assessment Battery (FAB) in amyotrophic lateral sclerosis. *Neurological Sciences*, 44(2), 587-592. <https://doi.org/10.1007/s10072-022-06438-5>
- Aiello, E. N., Verde, F., Milone, I., Giacobuzzi Grigoli, E., Dubini, A., Carelli, L., Ferrucci, R., Priori, A., Ratti, A., Torresani, E., Ticozzi, N., Silani, V., & Poletti, B. (2022). The Frontal Assessment Battery (FAB) effectively discriminates between MCI and dementia within the clinical spectrum of neurochemically confirmed Alzheimer's disease. *Frontiers in Psychology*, 13, 1054321. <https://doi.org/10.3389/fpsyg.2022.1054321>

- Appollonio, I., Leone, M., Isella, V., Piamarta, F., Consoli, T., Villa, M. L., Forapani, E., Russo, A., & Nichelli, P. (2005). The Frontal Assessment Battery (FAB): normative values in an Italian population sample. *Neurological sciences: official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology*, 26(2), 108–116.
<https://doi.org/10.1007/s10072-005-0443-4>
- Armitage, S. G. (1946). An analysis of certain psychological tests used for the evaluation of brain injury. *Psychological Monographs*, 60(1), i–48. <https://doi.org/10.1037/h0093567>
- Asaadi, S., Ashrafi, F., Omidbeigi, M., Nasiri, Z., Pakdaman, H., & Amini-Harandi, A. (2016). Persian version of frontal assessment battery: Correlations with formal measures of executive functioning and providing normative data for Persian population. *Iranian Journal of Neurology*, 15(1), 16.
- Beato, R., Amaral-Carvalho, V., Guimarães, H. C., Tumas, V., Souza, C. P., Oliveira, G. N. D., & Caramelli, P. (2012). Frontal assessment battery in a Brazilian sample of healthy controls: normative data. *Arquivos de Neuro-Psiquiatria*, 70, 278–280.
<https://doi.org/10.1590/S0004-282X2012005000009>
- Benke, T., Karner, E., & Delazer, M. (2013). FAB-D: German version of the Frontal Assessment Battery. *Journal of Neurology*, 260(8), 2066–2072. <https://doi.org/10.1007/s00415-013-6929-8>

Castiglioni, S., Pelati, O., Zuffi, M., Somalvico, F., Marino, L., Tentorio, T., & Franceschi, M. (2006). The frontal assessment battery does not differentiate frontotemporal dementia from Alzheimer's disease. *Dementia and geriatric cognitive disorders*, 22(2), 125–131.

<https://doi.org/10.1159/000093665>

Cummings, J. L., & Cole, G. (2002). Alzheimer disease. *Jama*, 287(18), 2335-2338.

D'Onofrio, G., Panza, F., Sancarlo, D., Addante, F., Solfrizzi, V., Cantarini, C., Mangiacotti, A., Lauriola, M., Cascavilla, L., Paris, F., Lozupone, M., Daniele, A., Greco, A., & Seripa, D. (2018). Executive dysfunction detected with the Frontal Assessment Battery in Alzheimer's disease versus vascular dementia. *Journal of Alzheimer's Disease*, 62(2), 699-711.

<https://doi.org/10.3233/JAD-170365>

Dubois, B., Feldman, H. H., Jacova, C., Cummings, J. L., DeKosky, S. T., Barberger-Gateau, P., Delacourte, A., Frisoni, G., Fox, N. C., Galasko, D., Gauthier, S., Hampel, H., Jicha, G. A., Meguro, K., O'Brien, J., Pasquier, F., Robert, P., Rossor, M., Salloway, S., ... Scheltens, P. (2010). Revising the definition of Alzheimer's disease: a new lexicon. *The Lancet Neurology*, 9(11), 1118-1127.

[https://doi.org/10.1016/S1474-4422\(10\)70223-4](https://doi.org/10.1016/S1474-4422(10)70223-4)

Dubois, B., Slachevsky, A., Litvan, I., & Pillon, B. (2000). The FAB: a Frontal Assessment Battery at bedside. *Neurology*, 55(11), 1621–1626. <https://doi.org/10.1212/wnl.55.11.1621>

- Edmonds, E. C., Thomas, K. R., Rapcsak, S. Z., Lindemer, S. L., Delano-Wood, L., Salmon, D. P., & Bondi, M. W. (2024). Data-driven classification of cognitively normal and mild cognitive impairment subtypes predicts progression in the NACC dataset. *Alzheimer's & Dementia: the journal of the Alzheimer's Association*, 20(5), 3442–3454. <https://doi.org/10.1002/alz.13793>
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189–198. [https://doi.org/10.1016/0022-3956\(75\)90026-6](https://doi.org/10.1016/0022-3956(75)90026-6)
- Goldberg, D., Bridges, K., Duncan-Jones, P., & Grayson, D. (1988). Detecting anxiety and depression in general medical settings. *British Medical Journal*, 297(6653), 897-899. <https://doi.org/10.1136/bmj.297.6653.897>
- Guarino, A., Favieri, F., Boncompagni, I., Agostini, F., Cantone, M., & Casagrande, M. (2019). Executive Functions in Alzheimer Disease: A Systematic Review. *Frontiers in aging neuroscience*, 10, 437. <https://doi.org/10.3389/fnagi.2018.00437>
- Gulec, H., Kavakci, O., Gulec, M. Y., Kucukali, C. I., & Citak, S. (2008). The validity and reliability of Turkish version of Frontal Assessment Battery in patients with schizophrenia. *Neurology Psychiatry and Brain Research*, 14(4), 165-168.
- Hanyu, H., Sato, T., Kume, K., Takada, Y., Onuma, T., & Iwamoto, T. (2009). Differentiation of dementia with Lewy bodies from

Alzheimer disease using the frontal assessment battery test.
International Journal of Geriatric Psychiatry, 24(9), 1034–1035.
<https://doi.org/10.1002/gps.2219>

Hurtado-Pomares, M., Terol-Cantero, M. C., Sánchez-Pérez, A.,
Leiva-Santana, C., Peral-Gómez, P., Valera-Gran, D., &
Navarrete-Muñoz, E. M. (2018). Measuring executive dysfunction in
Parkinson's disease: Reliability and validity of the Spanish version of
Frontal Assessment Battery (FAB-E). *PLoS One*, 13(11), e0207698.
<https://doi.org/10.1371/journal.pone.0207698>

Hurtado-Pomares, M., Terol-Cantero, M. C., Sánchez-Pérez, A.,
Peral-Gómez, P., Valera-Gran, D., & Navarrete-Muñoz, E. M. (2018).
The frontal assessment battery in clinical practice: a systematic
review. *International Journal of Geriatric Psychiatry*, 33(2),
237–251. <https://doi.org/10.1002/gps.4751>

Hurtado-Pomares, M., Juárez-Leal, I., Company-Devesa, V.,
Sánchez-Pérez, A., Peral-Gómez, P., Espinosa-Sempere, C.,
Valera-Gran, D., & Navarrete-Muñoz, E. M. (2022). Psychometric
properties of the Spanish version of the Frontal Assessment Battery
(FAB-E) and normative values in a representative adult population
sample. *Neurología*. Advanced online publication.
<https://doi.org/10.1016/j.nrleng.2022.09.004>

Jung, Y. H., Park, S., Jang, H., Cho, S. H., Kim, S. J., Kim, J. P., Kim, S. T.,
Na, D. L., Seo, S. W., & Kim, H. J. (2020). Frontal-executive
dysfunction affects dementia conversion in patients with amnesic

mild cognitive impairment. *Scientific Reports*, 10(1), 772.

<https://doi.org/10.1038/s41598-020-57525-6>

Kim, T. H., Huh, Y., Choe, J. Y., Jeong, J. W., Park, J. H., Lee, S. B., Lee, J. J., Jhoo, J. H., Lee, D. Y., Woo, J. I. & Kim, K. W. (2010). Korean version of frontal assessment battery: psychometric properties and normative data. *Dementia and Geriatric Cognitive Disorders*, 29(4), 363-370. <https://doi.org/10.1159/000297523>

Ladera, V., Sargento, P., Perea, V., Faria, M., & Garcia, R. (2018).

Sensitivity and specificity of Frontal Assessment Battery in newly diagnosed and untreated obstructive sleep apnea patients. *Sleep Medicine*, 42, 1-6. <https://doi.org/10.1016/j.sleep.2017.11.1122>

Lipton, A. M., Ohman, K. A., Womack, K. B., Hynan, L. S., Ninman, E. T., & Lacritz, L. H. (2005). Subscores of the FAB differentiate frontotemporal lobar degeneration from AD. *Neurology*, 65(5), 726-731. <https://doi.org/10.1212/01.wnl.0000174437.73416.7b>

Lobo, A., Escobar, V., Ezquerro, J., & Seva-Díaz, A. (1979). " El Mini-Examen Cognoscitivo" (Un test sencillo, práctico, para detectar alteraciones intelectuales en pacientes psiquiátricos). *Actas Iuso-españolas de neurología, psiquiatría y ciencias afines*, 7(3), 189-202.

Maluenda-Oyarzo, F. J., & Riveros-Miranda, R. A. (2005). *Descripción de síntomas neuropsiquiátricos en pacientes con demencia vascular severa* [Memoria para optar al título de Psicólogo, Universidad de Chile]. Repositorio académico de la Universidad de Chile.

Manero, R. M., Casals-Coll, M., Sánchez-Benavides, G., Rodríguez-de los Reyes, O. N., Aguilar, M., Badenes, D., Molinuevo, J. L., Robles, A., Barquero, M. S., Antúnez, C., Martínez-Parra, C., Frank-García, A., Fernández, M., Blesa, R., Peña-Casanova, J., & NEURONORMA Study Team (2014). Diagnostic validity of the Alzheimer's disease functional assessment and change scale in mild cognitive impairment and mild to moderate Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders*, *37*(5-6), 366–375.

<https://doi.org/10.1159/000350800>

Marshall, G. A., Rentz, D. M., Frey, M. T., Locascio, J. J., Johnson, K. A., Sperling, R. A., & Alzheimer's Disease Neuroimaging Initiative (2011). Executive function and instrumental activities of daily living in mild cognitive impairment and Alzheimer's disease. *Alzheimer's & dementia: The Journal of the Alzheimer's Association*, *7*(3), 300–308. <https://doi.org/10.1016/j.jalz.2010.04.005>

Nahm F. S. (2022). Receiver operating characteristic curve: overview and practical use for clinicians. *Korean Journal of Anesthesiology*, *75*(1), 25–36. <https://doi.org/10.4097/kja.21209>

Petersen, R. C., Caracciolo, B., Brayne, C., Gauthier, S., Jelic, V., & Fratiglioni, L. (2014). Mild cognitive impairment: a concept in evolution. *Journal of Internal Medicine*, *275*(3), 214–228.

<https://doi.org/10.1111/joim.12190>

Piedmont, R.L. (2014). Inter-item Correlations. In A. C. Michalos (Ed.), *Encyclopedia of Quality of Life and Well-Being Research* (pp.

3303–3304). Springer.

https://doi.org/10.1007/978-94-007-0753-5_1493

Rabi, R., Vasquez, B. P., Alain, C., Hasher, L., Belleville, S., & Anderson, N. D. (2020). Inhibitory control deficits in individuals with amnesic mild cognitive impairment: A meta-analysis. *Neuropsychology Review, 30*, 97-125. <https://doi.org/10.1007/s11065-020-09428-6>

Rami, L., Valls-Pedret, C., Bartrés-Faz, D., Caprile, C., Solé-Padullés, C., Castellvi, M., Olives, J., Bosch, B., & Molinuevo, J. L. (2011). Cuestionario de reserva cognitiva. Valores obtenidos en población anciana sana y con enfermedad de Alzheimer. *Revista de Neurología, 52*(4), 195–201. <https://doi.org/10.33588/rn.5204.2010478>

Reisberg, B. (1988). Functional Assessment Staging (FAST). *Psychopharmacology Bulletin, 24*(4), 653–659.

Reisberg, B., Ferris, S. H., de Leon, M. J., & Crook, T. (1982). The Global Deterioration Scale for assessment of primary degenerative dementia. *The American Journal of Psychiatry, 139*(9), 1136–1139. <https://doi.org/10.1176/ajp.139.9.1136>

Rodríguez-del Álamo, A., Catalán-Alonso, M. J., & Carrasco-Marín, L. (2003). FAB: a preliminar Spanish application of the frontal assessment battery to 11 groups of patients. *Revista de Neurología, 36*(7), 605-608.

Schober, P., Boer, C., & Schwarte, L. A. (2018). Correlation Coefficients: Appropriate Use and Interpretation. *Anesthesia and Analgesia,*

126(5), 1763–1768.

<https://doi.org/10.1213/ANE.0000000000002864>

Slachevsky, A., Villalpando, J. M., Sarazin, M., Hahn-Barma, V., Pillon, B., & Dubois, B. (2004). Frontal assessment battery and differential diagnosis of frontotemporal dementia and Alzheimer disease. *Archives of Neurology*, *61*(7), 1104-1107.

<https://doi.org/10.1001/archneur.61.7.1104>

Solca, F., Aiello, E. N., Migliore, S., Torre, S., Carelli, L., Ferrucci, R., Priori, A., Verde, F., Ticozzi, N., Maffi, S., Ceccarelli, C., Squitieri, F., Silani, V., Ciammola, A., & Poletti, B. (2022). Diagnostic properties of the Frontal Assessment Battery (FAB) in Huntington's disease. *Frontiers in Psychology*, *13*, 1031871.

<https://doi.org/10.3389/fpsyg.2022.1031871>

Yamao, A., Nagata, T., Shinagawa, S., Nukariya, K., Ochiai, Y., Kasahara, H., & Nakayama, K. (2011). Differentiation between amnesic-mild cognitive impairment and early-stage Alzheimer's disease using the Frontal Assessment Battery test. *Psychogeriatrics: the official journal of the Japanese Psychogeriatric Society*, *11*(4), 235–241.

<https://doi.org/10.1111/j.1479-8301.2011.00377.x>

Wang, T. L., Hung, Y. H., & Yang, C. C. (2016). Psychometric Properties of the Taiwanese (Traditional Chinese) Version of the Frontal Assessment Battery: A Preliminary Study. *Applied Neuropsychology: Adult*, *23*(1), 11–20.

<https://doi.org/10.1080/23279095.2014.995792>